					Seasonal A	Average					RANK out	of 162 entrie	:s		
				Overall	0 "	Overall	0 11	Average			G 1		0 1		
				Uniformit y of the	Overall Flowering	Foliage appearanc	Overall Landscape	of "Overall"	s		Seasonal Flowering	Seasonal	Seasonal Landscape	Average of "Seasonal"	
Genus/ common genus	Series	Cultivar		plot	impact	e	value	criteria			Impact	Foliage	Value	criteria	Comments
Achillea	Gypsy	White	Goldsmith Seeds	3.5	3.2	3.3	3.5	3.4		18	57	46	32	36	15-June: very delicate look, has potential; 30-June: 15-July: lots of buds; 30-July: 15-Aug: going strong, some bolting, cute flowers; 30-Aug: needs dead-heading, looks like had second flowering.
Agastache	Color Spires	Orchid	Proven Winners	3.7	3.6	3.2	3.8	3.6		9	17	61	10	14	15-June: has potential, unique, very nice colors; 30-June: not sure how to incorporate into garden, lots of purple, foliage is hidden, not enough green, purple, bees love it; 15-July: one dying; 30-Jul: tall, bees love it, still looks great; 30-Aug: .
rgustiene	Color Spires	Orema	Troven winners	5.7	5.0	3.2	5.0	5.0			17	01	10	1-1	15-June: nice, unique; 30-June: bees love it, nice growth habit; 15-July: 30-Jul: bees love it, plum flowers
Agastache	Color Spires	Steel Blue	Proven Winners	3.6	3.4	3.5	3.7	3.5		14	40	20	17	17	turn dark brown in sun, bees love it; 15-Aug: bees love it, looks great even w/half it's flowers dropped; 30 Aug: dead flowers add nice texture to garden, some leaf discoloration.
Anagallis	Angie	Blue	S&G	3.3	2.5	2.9	2.8	2.8		63	114	129	124	117	15-June: 30-June: 15-July: amazing colors, 30-July: 15-Aug: done flowering; 30-Aug: dense bushy grown at stem apex, odd growth habit.
· · · · · · · · · · · · · · · · · · ·	i ingic	Diae	Baco	5.5	2.0	2.7	2.0	2.0		05		12)	12.	117	15-June: leggy, dry; 30-June: leggy mess, seems dried out by full sun; 15-July: leggy, dull color, some die
Anagallis	Wildcat	Pink	Proven Winners	2.5	1.9	2.2	2.3	2.2		157	159	158	160	162	back; 30-Jul: leggy; 15-Aug: leggy, done flowering, drying foliage; 30-Aug: leggy and gross, strange growth habit.
															15-June: tiny plants, not rooted at shipment, dying, plants very small; 30-June: tiny plants, few flowers,
Angelonia	AngelMist	Plum	BFP	3.0	2.4	2.9	2.8	2.8		122	119	124	128	127	small; 15-July: diminutive, not alluring, doesn't stand out, gets lost; 30-Jul: small flowers, crowded, nice color; 15-Aug: crowded, almost done flowering, slow grower; 30-Aug: .
															15-June: 30-June: very small plants; 15-July: tiny plant and flowers; 30-Jul: small flowers, crowded; 15-
Angelonia	Serena	White	Pan Am	3.3	2.5	3.4	3.2	3.1		43	115	42	64	74	Aug: too crowded, slow grower; 30-Aug: needs dead-heading.
															15-June: 30-June: beautiful flowers, few dead flowers; 15-July: mounding, great flower structure, some brown/dead flowers, needs dead-heading; 30-Jul: needs dead-heading; 15-Aug: browning flowers, yellow
Argyranthemum	Courtyard	Buttercream	Proven Winners	3.0	2.8	2.9	3.0	2.9		115	90	109	97	102	foliage, needs dead-heading; 30-Aug: .
6,7															15-June: dead flowers brown; 30-June: colors white to pale pink, dead flowers detract, some dead flowers
															not hidden as well as 'Mini White', needs dead-heading; 15-July: flowers range from white to pink, pink is
Argyranthemum	Molimba	Helio Double Pink	Proven Winners	3.2	2.4	3.1	2.9	2.9		85	121	82	111	112	very pale, more white; 30-Jul: needs dead-heading; 15-Aug: needs dead-heading, almost done flowering, yellowing leaves; 30-Aug: .
															15-June: great now, has potential for future; 30-June: spent blooms look poor, some dead flowers, not
Argyranthemum	Molimba	Mini Double White	Proven Winners	3.4	2.6	3.1	3.0	3.0		41	106	72	91	85	hidden as well as 'Mini White', needs dead-heading; 15-July: would be nice in a bride's hair band, needs dead-heading; 30-Jul: needs dead-heading; 15-Aug: needs dead-heading; 30-Aug: needs dead-heading.
r ng j rancioniani	- Intominou	Man Double Wate	TIOTER WIRECO	5	2.0	5.1	5.0	5.0			100	,,,	71	- 00	15-June: pink flowers brown in sun, very cute, compact growth habit; 30-June: spent blooms detract, need
															dead-heading; 15-July: few flowers, mounding, some browning flowers, needs dead-heading, flower color
Argyranthemum	Molimba	Mini Frizzle Pink	Proven Winners	3.0	2.0	3.0	2.6	2.7		109	150	106	144	140	very pale really white; 30-Jul: needs dead-heading; 15-Aug: yellowing leaves, done flowering, needs dead heading 30-Aug: .
rigitananemani	Wommou	WHILI TTIZZIC THIK	Troven winners	5.0	2.0	5.0	2.0	2.7		10)	150	100	1	140	neading 50-7 kg
															15-June: very compact; 30-June: unspectacular, few dead flowers but hidden; 15-July: few flowers; 30-Ju
Argyranthemum	Molimba	Mini White	D Wi	2.5	2.0	2.3	2.2	2.3		158	151	157	161	160	two plants browning out, one dead plant, needs dead-heading, major dieback; 15-Aug: no flowers, chlorotic, dying, three dead plants, bleached leaves, looks horrible, major dieback; 30-Aug: totally dead.
rigyranaicinain	Wominou	TVIIII VVIIIC	1 Toven winners	2.3	2.0	2.3	2.2	2.3		130	131	137	101	100	15-June: yellow leaves at base & dead flowers, has potential, will need dead-heading; 30-June: spent
															blooms detract, some dead flowers, not self-cleaning, not very good, needs dead-heading; 15-July: needs
Argyranthemum	Molimba	Mini Yellow	Proven Winners	2.8	2.4	2.5	2.5	2.6		140	128	150	147	146	dead-heading; 30-Jul: needs dead-heading; 15-Aug: yellowing foliage, browning flowers, needs dead-heading; 30-Aug: scorched, looks dead.
rigitananemani	Wommou	Willin Tellow	Troven winners	2.0	2.4	2.3	2.3	2.0		140	120	150	147	140	15-June: nice perky flowers; 30-June: mounding habit; 15-July: 30-Jul: needs serious dead-heading; 15-
Argyranthemum	Sassy	White	Goldsmith Seeds	3.3	2.6	2.9	3.0	2.9		52	109	115	99	101	Aug: all done flowering; 30-Aug: .
A			C 0-C	3.4	2.3	3.2	2.9	2.9		24	134	68	107	100	15-June: 30-June: better if higher flower to foliage ratio; 15-July: bushy; 30-July: 15-Aug: done flowering dead flowers detract from foliage, needs dead-heading; 30-Aug: yellow foliage.
Argyranthemum		Shere Pastel Yellow	S&G	3.4	2.3	3.2	2.9	2.9		24	134	08	107	100	15-June: 30-June: creeping habit; 15-July: bees love it; 30-Jul: only flowering at edges, flowering
															inconsistent within grouping, excellent, self-cleaning; 15-Aug: no blooms, blends in too well with
D	Col	XX71.14		2.4	2.0	2.0	2.7	2.4		24	0.4	0	1.5	22	grass/clover, amazing foliage groundcover, could have more flowers; 30-Aug: nice late show, great excep
Bacopa	Calypso	White	Goldsmith Seeds	3.4	2.8	3.8	3.7	3.4		34	94	9	15	32	for clover taking over. 15-June: needs water; 30-June: needs lots of space, leaf damage- holes, Japanese beetle damage to leaves;
															15-July: some insect damage to leaves; 30-Jul: crowded, poor flowers; 15-Aug: crowded but good, flower
Begonia	BabyWing	White	Pan Am	3.3	2.5	3.2	2.9	3.0		55	113	62	110	99	don't look good; 30-Aug: red stems nice, really taking off, good for late season.
Browallia	Endless	Illumination	Proven Winners	3.5	3.2	3.4	3.4	3.3		22	56	41	44	42	15-June: looks wilted; 30-June: dull color, faded; 15-July: mounding, very nice shape and flowers, one dying; 30-Jul: flowers faded; 15-Aug: covered w/flowers, still looks great; 30-Aug: .
İ															15-June: not looking so hot, dry; 30-June: pale color- unattractive, bleached flowers, faded, old flowers
															look dull; 15-July: lacking flowers, striped flowers, sun bleached, looks chlorotic or sun-bleached; 30-Jul:
Browallia	Endless	Sensation	Proven Winners	2.9	2.4	2.6	2.6	2.6		132	127	145	143	144	flowers faded, not impressive, washed out; 15-Aug: almost done flowering; 30-Aug: leaves look chlorotic

	1	1												15-June: 30-June: tall; 15-July: perfection, amazing flower; 30-Jul: taller: 15-Aug: hedge, very even; 30-
Calibrachoa	Callie	Bright Red	Goldsmith Seeds	3.4	3.4	3.5	3.5	3.5	27	36	22	30	24	Aug: still great, tall.
		-												15-June: yellow throat makes coral color pop, great flower color; 30-June: yellow throat, carpeting, low
C.17 1	C. III	C 1 D' 1		2.4	2.6	2.5	2.6	2.5	40	21	10	20	10	growing; 15-July: nice yellow throat, very nice flower; 30-Jul: yellow throat pops, low growing; 15-Aug:
Calibrachoa	Callie	Coral Pink	Goldsmith Seeds	3.4	3.6	3.5	3.6	3.5	40	21	19	20	18	low growing, nice yellow throat; 30-Aug: . 15-June: 30-June: slow to fill in gaps; 15-July: 30-Jul: dense mat, very nice; 15-Aug: very even, still looks
Calibrachoa	Callie	Dark Blue	Goldsmith Seeds	3.3	3.5	3.5	3.4	3.4	46	28	29	41	31	nice; 30-Aug: nice late show, still looks excellent.
														15-June: has potential, flower color inconsistent; 30-June: some plants w/ gold flowers, others w/ off-whit
														mixed shades of yellow, gold washed out to white, flower color varies with plant; 15-July: bloom colors
C 17	C.III			2.2	2.5	2.6	2.4	2.5	161	118	149	156	153	inconsistent, imperfections in flower color, sun bleached to white; 30-Jul: blah colors, color inconsistence
Calibrachoa	Callie	Gold W/Red Eye	Goldsmith Seeds	2.3	2.5	2.6	2.4	2.5	161	118	149	130	155	not same color; 15-Aug: lacks contrast, not gold; 30-Aug: . 15-June: has potential; 30-June: low growing, yellow throat, nice flowers; 15-July: 30-Jul: low growing,
Calibrachoa	Callie	Rose '06	Goldsmith Seeds	3.4	3.8	3.5	3.7	3.6	30	11	28	16	13	wow, great color; 15-Aug: low growing, still looks great; 30-Aug: .
														15-June: 30-June: bushy habit, flowers not prominent, more foliage than other calibrachoas; 15-July: grea
Calibrachoa	Callie	Rose Star	Goldsmith Seeds	3.3	2.8	3.0	3.0	3.0	60	89	99	92	90	stars, 30-July: 15-Aug: 30-Aug: .
														15-June: difficult to see flowers; 30-June: upright habit; 15-July: bloom colors inconsistent; 30-Jul: not the
Calibrachoa	Callie	Sunrise	Goldsmith Seeds	3.1	2.7	2.6	2.7	2.8	96	100	146	132	121	best calibrachoa, 15-Aug: 30-Aug: not even close to 'Dark Blue', never really filled in its space.
														15-June: has potential; 30-June: very pale; 15-July: citrus like in color, nice yellow color; 30-Jul: nice
														flowers, too compact flowers and leaves; 15-Aug: lacks contrast, looks great; 30-Aug: nicer than 'Sunrise'
Calibrachoa	Callie	Yellow	Goldsmith Seeds	3.3	3.2	3.2	3.2	3.2	50	53	67	62	58	but not nicer than 'Dark Blue', still looks great.
														15-June: dark throat color draws eye inward, some browning leaves; 30-June: uneven growth, shimmering like fabric, nice, contained, good flower color that sparkles, not spreading fast; 15-July: mounding, flower
														color looks dull; 30-Jul: blah, except for great sheen, 15-Aug: bushy/hedge habit very unique, looks
Calibrachoa	Superbells	Cherry Blossom	Proven Winners	3.4	3.4	3.3	3.2	3.3	31	41	50	69	46	excellent, leaf & flower color dull; 30-Aug: .
														15-June: upright and spreading habit, getting a bit tall/leggy, very cute; 30-June: nice flowers; 15-July: fill
				2.7						4.0	2.2	4.0		in completely-hedge; 30-Jul: past their prime, one dead plant, 15-Aug: nice yellow eye, still looks great;
Calibrachoa	Superbells	Coral	Proven Winners	3.5	3.8	3.4	3.7	3.6	16	10	33	18	11	Aug: . 15-June: 30-June: mounding; 15-July: mounding; 30-Jul: yellowish foliage detracts; 15-Aug: not
Calibrachoa	Superbells	Tickled Pink	Proven Winners	3.2	3.1	2.9	3.0	3.0	80	63	131	88	82	impressive, some dieback; 30-Aug: dull overall.
Cumbrachoa	Buperbens	Tickicu Tilik	rioven winners	3.2	3.1	2.7	3.0	3.0	00	0.5	131	- 00	02	impressive, some deciden, so ridg. dan overall.
														15-June: some browning leaf margins, dry; 30-June: carpeting, flower color dull; 15-July: 30-Jul: very nic
Calibrachoa	Superbells	Trailing Light Blue	Proven Winners	3.8	3.3	3.3	3.4	3.4	6	46	51	37	27	grouping though color a bit washed out by sun; 15-Aug: so uniform; 30-Aug: good ground cover.
														15-June: has potential, nice ground covering habit; 30-June: 15-July: patches w/o flowers, 30-July: 15-Au
Calibrachoa	Superbells	Trailing Plum	Proven Winners	3.2	3.6	3.2	3.3	3.3	76	22	66	45	45	even & consistent, still looks great; 30-Aug: similar to Goldsmith's 'Dark Blue', looks great.
Cumbrachoa	Bupersens	Truning Truni	Troven winners	5.2	5.0	5.2	5.5	5.5	,,,					15-June: flowers look yellow, yellowing leaves, fun; 30-June: school bus orange, foliage is a bit lacking,
														great flowers, neat, different from all others; 15-July: sweat bees love it; 30-Jul: eye-catching color,
CI.	El l			4.0	4.0	2.7	4.0	2.0	2	4	10	_	2	excellent, amazing, unique color and flower type; 15-Aug: much nicer than yellow, wow, great planting,
Chrysocephalum	Fiambe	Orange	Proven Winners	4.0	4.0	3.7	4.0	3.9	3	4	10	6		still looks great; 30-Aug: nice late color, great and unique flower. 15-June: yellowing leaves at base, leggy in areas; 30-June: foliage is a bit lacking, great flowers; 15-July:
														sweat bees love it, great; 30-July: 15-Aug: not as nice as orange, wow, great planting; 30-Aug: not as nice
Chrysocephalum	Flambe	Yellow	Proven Winners	3.7	4.0	3.5	3.8	3.7	8	5	18	11	5	as orange, such a great and unique flower/plant.
		a .												15-June: some yellowing leaves at base; 30-June: bushy, nice, beautiful; 15-July: tall, beautiful; 30-Jul: ta
CI		Senorita		2.0	2.6	2.0	2.0	2.0	_	1.0	0	_	2	some leaf yellowing with plants in middle of grouping; 15-Aug: tall hedge, huge; 30-Aug: some leaf
Cleome		Rosalita	Proven Winners	3.8	3.6	3.8	3.9	3.8	3	16	8	/		yellowing at base; great flowers and height, looked great all season.
														15-June: has potential; 30-June: mounding and full, tropical look, nice size; 15-July: hedge; 30-Jul: great a
Coleus	Aurora	Black Cherry	BFP	4.1	1.3	4.6	4.2	3.5	2	160	2	4	16	around, 15-Aug: petite leaves, great foliage color, still amazing; 30-Aug: consistent, good in full sun.
														15-June: fading in sun; 30-June: amazing color patterns, too tall; 15-July: fading in sun, flowers detract; 3
Coleus	Wizard	Coral Sunrise	Don Am	3.1	1.1	2.9	2.7	2.4	101	162	112	136	156	Jul: crowded by neighbor, color faded; 15-Aug: mildew, no comment, cutback too hard, diseased, would better if more space; 30-Aug: mildew, leggy.
Coleus	wizaru	Corai Sunrise	Fall Alli	3.1	1.1	2.9	2.1	2.4	101	102	112	130	130	better it more space, 50-Aug. initidew, leggy.
														15-June: 30-June: few flowers; 15-July: 30-Jul: needs dead-heading; 15-Aug: done, almost done flowering
Dianthus	Bouquet	Rose Magic	Pan Am	2.6	2.1	2.7	2.5	2.5	150	142	139	150	151	dead flowers detract, needs dead-heading; 30-Aug: done, nice flowers, almost all dead, dead or dry.
														15-June: messy/browning flowers; 30-June: mounding habit; 15-July: some doing well, others struggling,
Diascia	Darla	Deep Salmon	Goldsmith Seeds	3.0	2.4	3.2	3.1	2.9	121	125	69	75	108	some dead/browning flowers, sun bleached; 30-Jul: needs dead-heading; 15-Aug: no blooms, done flowering; 30-Aug: second flush.
D100010	Dana	ъеср зашоп	Gotusiniui Seeds	3.0	2.4	3.2	3.1	2.9	121	123	09	13	100	15-June: 30-June: dainty cottage look; 15-July: only top flowers remain, leggy, sun bleached, can't see
														foliage well; 30-Jul: needs serious dead-heading; 15-Aug: few flowers, done flowering; 30-Aug: nice late
Diascia	Darla	Light Pink	Goldsmith Seeds	3.4	2.9	3.2	3.2	3.2	39	84	60	57	62	show, had a second flowering.
														15-June: 30-June: tall- blooms spread out and looks sparse; 15-July: leggy and tall; 30-Jul: two plants
Diascia	Darla	Rose	Goldsmith Seeds	2.8	2.4	3.1	3.0	2.8	137	123	80	93	119	browning out, done flowering, some brown leaves, all flowers cut back; 15-Aug: no blooms, done flowering; 30-Aug: needs dead-heading, second flowering.
Diastia	Dai1a	17030	Goldsmith Seeds	2.0	2.4	5.1	5.0	2.0	137	123	60	93	119	Prowering, 50-Aug. needs dead-neading, second nowering.

														15-June: some dead flowers; 30-June: tall w/ few flowers, needs dead-heading, flower stems scraggly; 15
Dianaia	Davida	W71-:		3.0	2.0	2.1	2.7	2.7	107	155	83	133	137	July: leggy, can't see foliage well; 30-Jul: one dead plant, needs dead-heading; 15-Aug: no blooms, done
Diascia	Darla	White	Goldsmith Seeds	3.0	2.0	3.1	2.1	2.7	107	155	83	133	137	flowering, flowers removed; 30-Aug: needs dead-heading. 15-June: dead flowers look black, not as floriferous as other cultivars; 30-June: lots of flowers; 15-July su
														bleached; 30-Jul: needs dead-heading; 15-Aug: almost done flowering, browning; 30-Aug: needs dead-
Diascia	Flying Color	Orange	Proven Winners	3.1	2.7	3.0	2.8	2.9	100	102	98	115	111	heading.
														15-June: leaves browning in sun, has potential; 30-June: slowly filling in; 15-July: slow to fill in, great
Dichondra		Silver Falls	Pan Am	4.2	1.2	4.4	4.1	3.5	1	161	2	5	22	foliage accent, attacked by slime mold; 30-Jul: filled in nicely, wow, love it; 15-Aug: love it, fills in beautifully; 30-Aug: silver mat, love it, so nice.
Dictional		Silver Falls	Fall Alli	4.2	1.2	4.4	4.1	3.3	1	101	3		22	15-June: yellow/brown leaves, some dead flowers, too airy, dry, good plant when well watered; 30-June:
														unusual flowers- nice, making a slow but steady comeback, looks nice this week; 15-July: bugs love it; 30
		Diamond												July: 15-Aug: lots of visual interest, good texture, too airy; 30-Aug: tall, getting messy, better as accent
Euphorbia		Frost	Proven Winners	3.6	3.4	3.0	3.5	3.4	11	34	94	27	33	than in large stand.
														15-June: 30-June: amazingly dense w/ many blooms, taking over its plot area, growing like wild; 15-July:
														fierce competitor, thick, some flowers turning dark red/brown, awesome, too tall; 30-Jul: bees love it, ver
														dense, more of a barn red color this week; 15-Aug: some falling/splitting among hedge, some plants done
Gaillardia	Torch	Red Ember	BFP	3.2	3.3	3.5	3.4	3.4	69	45	23	39	39	flowering while others not, dead heads detract, needs dead-heading; 30-Aug: needs dead-heading.
														15-June: much smaller than all others; 30-June: small plants but nice blooms; 15-July: needs dead-heading
Coronium	Allure	Pink Sizzle	DED	2.9	3.1	3.1	3.2	3.0	130	68	90	70	83	not self-cleaning; 30-Jul: still nice, dark stems; 15-Aug: crowded, great flowers, great color but crowded neighbors; 30-Aug: .
Geranium	Allure	Pilik Sizzie	БГР	2.9	5.1	3.1	3.2	3.0	130	08	90	70	83	15-June: don't like flower color with leaf color; 30-June: neon petals and leaves, bad flowers, not self-
														cleaning, bright; 15-July: needs dead-heading; 30-Jul: bright, looks great, colors too bright; 15-Aug: need
Geranium (Exotic)	Crystal Palace	Gem (Red)	Fischer USA	3.3	2.9	3.4	3.0	3.1	61	81	37	100	68	dead-heading again, some yellow leaves, too bright; 30-Aug: foliage browning.
														15-June: 30-June: spent blooms look really bad, nice deep color red, not self-cleaning, needs dead-headin
a		D 1		2.1	2.4	2.2	2.0	2.0	00	104	4.5	120	1.07	15-July: needs dead-heading, lots of dead flowers; 30-Jul: needs dead-heading, average; 15-Aug: dead-
Geranium (Exotic)	Graffit Double	Red	Fischer USA	3.1	2.4	3.3	2.8	2.9	88	124	45	120	107	heading helped, looks great; 30-Aug: needs dead-heading.
Geranium (Exotic)	Graffit Double	White	Fischer USA	3.2	2.0	3.1	2.7	2.8	79	148	78	138	129	15-June: flowers look pink; 30-June: all blooms spent, not self-cleaning, some dead flowers, needs dead-heading; 15-July: needs dead-heading; 30-July: 15-Aug: 30-Aug: needs dead-heading.
Geramani (Exone)	Granti Double	Willie	rischer USA	3.2	2.0	3.1	2.1	2.0	12	140	70	130	12)	15-June: 30-June: not self-cleaning, all Graffiti line need dead-heading; 15-July: needs dead-heading; 30-
														Jul: some yellow leaves at base, needs dead-heading; 15-Aug: needs dead-heading; 30-Aug: needs dead-
Geranium (Exotic)	Graffiti	Salmon	Fischer USA	3.2	2.8	3.5	3.2	3.2	75	95	21	61	64	heading.
														15-June: looks pink, yellow leaves at base, flower color too pale; 30-June: spent blooms detract, not self-
														cleaning, needs dead-heading; 15-July: needs dead-heading; 30-Jul: needs dead-heading, some yellow
Geranium (Exotic)	Graffiti	White	Fischer USA	3.2	2.1	2.9	2.6	2.7	74	143	121	139	135	leaves; 15-Aug: more pink than white, dead-heading helped, yellow leaves, flowers look pink; 30-Aug: needs dead-heading again.
Geraniani (Exotic)	Graniti	** IIIC	rischer OS/1	3.2	2.1	2.7	2.0	2.7	,	143	121	137	133	15-June: 30-June: spent blossoms distract, not self-cleaning, old flowers need dead-heading; 15-July: need
														dead-heading, not self-cleaning; 30-Jul: chew holes in foliage, needs dead-heading; 15-Aug: needs dead-
Geranium (Exotic)	Graffiti Double	Salmon	Fischer USA	3.3	2.3	3.3	2.9	3.0	59	129	43	104	97	heading; 30-Aug: some yellowing leaves at base, needs dead-heading.
														15-June: lots of contrast, has potential; 30-June: neon colors, some dead flowers, needs dead-heading; 15-
Coronium (Evotio)	II Thh	(C.1 D.)	Fischer USA	3.1	3.1	3.6	3.1	3.2	94	62	13	71	53	July: best geranium here, 30-Jul: bright; 15-Aug: leaves losing variegation, great combo; 30-Aug: foliage
Geranium (Exotic)	нарру I nought	(Saimon Rose)	FISCHEI USA	3.1	3.1	3.0	3.1	3.2	24	02	13	/ 1	33	browning, leggy in some plants.
														15-June: nice deep burgundy, unusual habit, great flower color; 30-June: novel color, nice, simple flowers
														some dead flowers, needs dead-heading; 15-July: needs dead-heading, few flowers, can't see dark flowers
														well; 30-Jul: overtaken by neighbor, lacking flowers; 15-Aug: ivy was slow & poor, done flowering, legg
Geranium (Ivy)	Blizzard	Compact Burgundy	Fischer USA	2.4	1.9	3.0	2.7	2.5	159	158	107	134	149	never came thrived; 30-Aug: foliage looking better, extremely slow, nice if in the right spot.
														15-June: 30-June: splashes of red are great, foliage is small, not self-cleaning, needs dead-heading; 15-Jul needs dead-heading; 30-Jul: few flowers; 15-Aug: was slow & poor, no flowers, leggy, never filled in; 30
Geranium (Ivv)	Pink Spirit	Light Pink	Fischer USA	2.5	2.1	2.5	2.3	2.4	153	145	153	159	159	Aug: poor, two dead plants.
														15-June: 30-June: large flowers, nice deep red, some dead flowers, needs dead-heading; 15-July: needs de
														heading; 30-Jul: needs dead-heading; 15-Aug: needs dead-heading, yellowing leaf edges; 30-Aug: poor,
Geranium (Zonal)	Americana	Bright Red	Goldsmith Seeds	2.7	2.4	2.6	2.5	2.5	147	120	148	153	147	three dead plants.
														15-June: leaf margins turn a neat red color; 30-June: spent blooms detract, bad flowers, yellowing leaves, not self-cleaning; 15-July: needs dead-heading; 30-Jul: needs dead-heading; 15-Aug: dead-heading helper
Geranium (Zonal)	Americana	Coral	Goldsmith Seeds	2.9	2.8	3.0	2.7	2.8	128	92	105	131	116	nice, looks amazing; 30-Aug: needs dead-neading, so-Jul: needs dead-neading; 15-Aug: dead-neading neiped nice, looks amazing; 30-Aug: needs dead-heading, looks great.
(20111)			Jeen Jeen Jeen Jeen Jeen Jeen Jeen Jeen	2.7	2.3	5.5	2.7	2.0	123	- /-	100	101	113	15-June: leaves have interesting red tint; 30-June: not self-cleaning, needs dead-heading; 15-July: absolut
	1													horrible, needs dead-heading; 30-Jul: still nice, needs dead-heading, not bad, some yellow leaves; 15-Aug
Geranium (Zonal)	Americana	Deep Red	Goldsmith Seeds	2.9	2.6	2.9	2.8	2.8	131	110	120	127	122	needs dead-heading again; 30-Aug: needs dead-heading.
														15-June: 30-June: spent blooms look like mud, not self-cleaning, needs dead-heading; 15-July: not self-
Garanium (Zan-1)	Amaricana	Links C-1		3.3	2.5	3.2	2.9	3.0	62	116	64	103	98	cleaning, needs dead-heading; 30-Jul: needs dead-heading, not too bad; 15-Aug: needs dead-heading agai looking much better, has beetles; Aug: needs dead-heading.
Geranium (Zonal)	Americana	Light Salmon	Goldsmith Seeds	3.3	2.5	3.2	2.9	3.0	02	116	64	103	98	15-June: 30-June: nice color, darker edges, some dead flowers, some yellowing/browning leaf edges, neer
														dead-heading; 15-July: needs dead-heading;; 30-Jul: needs dead-heading; 15-Aug: needs dead-heading
	1	Pastel Pink	1 1	3.1	2.8	2.9	2.9	2.9	98	91	126	114	109	again; 30-Aug: needs dead-heading.

Geranium (Zonal)	Eclipse	Light Salmon II		3.2	2.7	3.6	3.0	3.1	82	105	11	85	69	15-June: 30-June: spent blooms distract, not self-cleaning, needs dead-heading; 15-July: not self-cleaning needs dead-heading; 30-Jul: still nice, purple stems, needs dead-heading; 15-Aug: needs dead-heading again, nice zone in foliage, great, deep leaf color; 30-Aug: needs dead-heading, nice chocolate stems, one dead plant.
Geranium (Zonal)	•	White	Goldsmith Seeds	3.0	2.0	3.0	2.5	2.6	110	146	101	148	141	15-June: yellowing leaves; 30-June: spent blooms detract, dead flowers turn brown, not self-cleaning, nedead-heading; 15-July: needs dead-heading, flowers look bold, not self-cleaning; 30-Jul: needs dead-heading, some yellow flowers, dead flowers show too much on cluster; 15-Aug: needs dead-heading 30-Aug: needs dead-heading, leaf yellowing at base.
Geranium (Zonal)	Eclipse	Red III	Goldsmith Seeds	3.2	2.9	3.0	3.1	3.0	78	87	92	81	84	15-June: great color red, very vibrant, favorite of all red geraniums; 30-June: very floriferous, large, not self-cleaning; 15-July: needs dead-heading; 30-Jul: not bad, some yellow leaves, needs dead-heading; 15- Au; dead-heading helped; 30-Aug; needs dead-heading again.
Geranium (Zonal)	Himalaya Fire	Scarlet	Fischer USA	3.1	2.9	3.5	3.1	3.1	104	80	25	79	67	15-June: flowers too bright; 30-June: nice bright red/orange color; 15-July: needs dead-heading; 30-Jul: s nice, needs dead-heading, better than most geraniums; 15-Aug: needs dead-heading, great color, dead-heading helped, looks amazing, great leaf/flower colors; 30-Aug: needs dead-heading.
Geranium (Zonal)	•			3.2	3.1	3.1	3.1	3.1	73	66	74	83	70	15-June: has potential; 30-June: not self-cleaning, nice color; 15-July: better than others, needs dead-heading, not self-cleaning; 30-Jul: nice looking still, 15-Aug: fabulous, dead-heading helped a lot, one of my favorites, looks great since dead-heading; 30-Aug: .
Geranium (Zonal)	Rocky Mtn.	Light Salmon	Fischer USA	3.1	2.5	3.1	2.9	2.9	90	111	77	105	104	15-June: 30-June: spent blooms look like mud, not self-cleaning, some browning leaf edges, needs dead-heading; 15-July: needs dead-heading; 30-Jul: needs dead-heading, 15-Aug: dead-heading helped, nice le zone, looks great; 30-Aug: needs dead-heading again, looking good.
Carrainer (Zanal)	Daalaa Maa	V:-l-t		3,3	2.1	3.1	3.1	2.2	51	65	94	74	65	15-June: nice flower color, some yellow leaves; 30-June: amazing colors (magenta and red) very bright, nice color, few yellow leaves at base, vibrant flower color; 15-July: needs dead-heading, amazing color, 1 self-cleaning; 30-Jul: nicer flowers than other geraniums; 15-Aug: fabulous, dead-heading helped a lot, of my favorites, looks excellent since dead-heading, look nice after dead-heading; 30-Aug: my favorite
Geranium (Zonal)	Kocky Mtn.	Violet	Fischer USA	3.3	3.1	5.1	3.1	3.2	51	65	84	74	65	geranium, would look great if always dead-headed, needs dead-heading. 15-June: 30-June: better if scattered planting than in cluster; 15-July: best gerbera; 30-Jul: needs dead-
Gerbera	Everlast	Orange	Proven Winners	3.1	3.3	3.3	3.5	3.3	95	50	53	28	48	heading, perfect height matches, great color; 15-Aug: nicest gerber; 30-Aug: not uniform, looks great. 15-June: looks like a weed when not in flower; 30-June: very uneven growth, few flowers; 15-July: 30-Ju
Gerbera	Everlast	Pink	Proven Winners	2.7	2.3	3.2	2.9	2.8	148	136	57	113	130	needs dead-heading, fading color, 15-Aug: struggling in full sun but doing its best; 30-Aug: foliage not as nice as 'White'.
Gerbera	Everlast	White	Proven Winners	3.2	2.3	3.6	3.0	3.0	71	133	14	89	88	15-June: 30-June: small flowers- look dirty, few flowers; 15-July: 30-Jul: needs dead-heading, some dead flowers; 15-Aug: 30-Aug: nice leaf rosettes.
Helenium		Dakota Gold	Pan Am	3.3	3.5	3.8	3.6	3.6	48	27	6	22	15	15-June: has potential; 30-June: love the leaf texture; 15-July: 30-Jul: getting nicer; 15-Aug: great feather texture; 30-Aug: needs dead-heading.
Heliotrope	Scentropia	Silver	Proven Winners	3.0	3.2	3.4	3.4	3.2	112	55	38	42	55	15-June: droopy leaves, leggy, flower color is blah; 30-June: great foliage texture; 15-July: 30-Jul: needs dead-heading, some dead flowers, 15-Aug: leaves w/black splotches, butterflies love it; 30-Aug: love the foliage, needs dead-heading, second flowering.
Impatiens	Fanfare	Orchid	BFP	3.3	2.7	3.0	3.0	3.0	45	99	100	98	93	15-June: one dead plant; 30-June: two inch blooms need lots of space; 15-July: not enough room, great looking variety; 30-Jul: crowded, having it's space invaded, squished, can't see leaves, getting overrun by other plants; 15-Aug: too crowded, mildew, insect damage, looks awful, Japanese beetle damage, hard to see- cannot rate fairly; 30-Aug:
Impatiens (Double)		Orange	Goldsmith Seeds	3.0	2.9	2.3	2.8	2.8	108	86	156	119	128	15-June: not so orange; 30-June: some dead flowers, browning leaf edges; 15-July: leaves burning, brown spotted leaves, floppy, old flowers detract from appearance; 30-Jul: leaf browning; 15-Aug: burned in sur awful brown foliage, starting to wilt; 30-Aug:.
														15-June: messy, wilted; 30-June: rose-like, some dead flowers; 15-July: floppy; 30-Jul: old flowers turnir brown; yellowing leaves, various stages of blooming detracts; 15-Aug: scorchedbad flowers and leaves,
Impatiens (Double)	Silhouette	Pink '06	Goldsmith Seeds	3.3	2.9	2.8	2.9	3.0	54	83	134	112	96	faded; 30-Aug: . 15-June: yellowing leaves, looks messy, dry; 30-June: needs more blooms, huge plant, browning leaves, so the state of
Impatiens (Double)	Silhouette	Pink Ice	Goldsmith Seeds	2.8	2.4	2.2	2.5	2.5	138	126	159	151	152	flowers, not self-cleaning, not healthy, drooping; 15-July: perfect mounds, yellow leaves, lacking a lot of flowers; 30-Jul: many unopened blooms, lots of yellow leaves, not great flowers, some dieback; 15-Aug: scorched, few wilted flowers, yellow foliage, faded, chlorotic; 30-Aug:
Impatiens (Double)	Silhouatte	Rose '06		3.3	3.4	2.4	3.1	3.1	49	37	155	78	80	15-June: looks messy with double flowers, dry; 30-June: huge plants and flowers, rose-like; 15-July: floppy, some browning and yellowing leaves; 30-Jul: hedge, yellowing leaves; 15-Aug: nice considering in full sun, wilted flowers, dry looking foliage, faded, leaves look chlorotic; 30-Aug: nice for double impatiens, flower are rose-like.
impations (Double)	Simouette	KUSC 00	Goldsmith Seeds	3.3	3.5	2.4	3.1	3.1	49	31	133	18	60	Inspanens, nower are rose-rise. 15-June: yellowing leaves, difficult to see foliage; 30-June: mounding habit, self-cleaning; 15-July: mounding, some yellowing leaves; 30-Jul: two plants with very few blooms, yellowing leaves, cute; 15-

Impatiens (Mini)	Firefly	Orange II	Goldsmith Seeds	3.2	3.0	2.9	3.0	3.0	70	74	113	101	91	15-June: not self-cleaning, some brown leaves, messy flowers; 30-June: spent blooms look faded, mounding, bad flowers, yellowing leaves, old flowers are pale; 15-July: blooms faded, mounding, one pla dying; 30-Jul: one dead plant, not self-cleaning, some dieback; 15-Aug: some dieback; 30-Aug: one dead plant.
Impatiens (Mini)	Firefly	Salmon II	Goldsmith Seeds	2.9	3.3	2.9	3.2	3.1	125	42	130	68	78	15-June: messy flowers, not self-cleaning, so many flowers can't see foliage; 30-June: less mounding, blooms fade nicely, some dead flowers; 15-July: mounding; 30-Jul: blooms faded, too busy; 15-Aug: scorched, done flowering, yellow leaves; 30-Aug: yellowing leaves.
Impatiens (Mini)	Firefly	Watermelon	Goldsmith Seeds	3.3	3.4	3.0	3.2	3.2	42	32	104	66	56	15-June: messy flowers, not self-cleaning, yellow leaves, messy; 30-June: mounds, blooms fade; 15-July: mounding, some leaf yellowing, dieback; 30-Jul: too busy, 15-Aug: defoliated by insects, few flowers, faded, maybe better in shade; 30-Aug: loaded w/flowers.
Impatiens (Trailing)	Butterfly	Deep Pink	Goldsmith Seeds	3.2	2.1	2.9	2.8	2.8	67	141	117	122	126	15-June: looks wilted, messy, dry; 30-June: spreading, not a deep pink; 15-July: mounding, leaf edges rolling; 30-Jul: hedge, wilted leaves; 15-Aug: few flowers, no flowers, yellow leaves; 30-Aug: .
Impatiens (Trailing)	Butterfly	Lilac	Goldsmith Seeds	3.0	2.3	2.7	2.7	2.7	105	131	140	130	136	15-June: begging for water, dry/wilted; 30-June: spreading; 15-July: 30-Jul: wilted flowers and leaves; 15-Aug: few flowers, yellow foliage, faded; 30-Aug: .
Lantana	Bandana	Cherry	Goldsmith Seeds	2.3	2.0	3.1	2.6	2.5	160	156	88	142	150	15-June: only one flowering, nice color; 30-June: very uneven growth, few flowers, flowers not all 'Cherry 15-July: slow to start, some Rose mixed in; 30-Jul: color inconsistencies; 15-Aug: uneven, few flowers, poor foliage, never had many flowers; 30-Aug:
Lantana	Bandana	Rose	Goldsmith Seeds	2.6	2.1	3.4	2.9	2.7	149	144	39	106	132	15-June: 30-June: very uneven growth, very few flowers; 15-July: slow to start, needs more flowers, imperfections in color; 30-Jul: color inconsistencies, 15-Aug: few flowers, never a great show of flowers; 30-Aug: lovely textured foliage.
Lantana	Dundund	Lucky Yellow	BFP	3.2	3.0	3.5	3.3	3.2	65	73	24	51	52	15-June: big variation in red to white ratio; 30-June: very uneven compared to GF competitors, best lantar in all beds, needs to spread, plants are small; 15-July: half of plants are struggling; 30-Jul: slow to flower, needs more flowers; 15-Aug: finally looking nice, slow grower; 30-Aug:
Lobelia	Laguna	Sky Blue	Proven Winners	2.9	2.7	2.1	2.7	2.6	126	96	161	135	145	15-June: some dead flowers and brown leaves, great flower color; 30-June: slow growing, few flowers; 15 July: color is dull, not as good as 'Techno', can't see foliage well; 30-July: 15-Aug: sad looking foliage, foliage browned: 30-Aug: schorched, all dead, dry.
Lobelia	Laguna	White	Proven Winners	2.6	2.3	2.2	2.4	2.4	151	132	160	157	158	15-June: 30-June: 15-July: one plant has no flowers, one dying plant and one dead plant- otherwise uniform; 30-Jul: brown leaves and flowers, dieback, maybe too dry; 15-Aug: done, some dead, two dead plants, done flowering, major dieback; 30-Aug: three plants alive.
Lobelia	Techno	Blue	Goldsmith Seeds	2.8	2.5	2.0	2.5	2.4	139	117	162	154	157	15-June: 30-June: nice blue color; 15-July: centers w/o flowers - like a donut, can't see foliage; 30-Jul: flowers almost spent, looks dry; 15-Aug: schorched, few blooms, all dead plants, all browning; 30-Aug: burned up, all dead.
Marigold	Moonstruck		S&G	3.4	3.4	3.5	3.4	3.4	33	31	16	38	25	15-June: 30-June: large flowers almost too large, getting a little crowded, awesome giant flowers; 15-July needs dead-heading, some dead, browning flowers; 30-Jul: browning flowers, needs dead-heading; 15-Au dead-heading helped a lot, leaves browning; 30-Aug: needs dead-heading, foliage browning/reddening, so brown/dark blue leaves.
Ü	Woonstruck											30		15-June: browning leaves, not good in full sun; 30-June: 15-July: coming along slowly, 30-July: great color
Millet (Ornamental) Nemesia	Safari	Jester White	Pan Am Proven Winners	3.3	3.0	3.6	5.8 3.2	3.7	58 77	154 79	15 59	60	10	foliage; 15-Aug: nice in a border, husband loves it, sounds nice in the wind; 30-Aug: . 15-June: 30-June: average, not impressed by plant; 15-July: 30-July: 15-Aug: better than others but not great: 30-Aug: needs dead-heading.
Nemesia		Opal Innocence	Proven Winners	3.5	3.1	3.4	3.5	3.4	23	67	36	26	38	15-June: nice spectrum of color w/i each flower, great flower color, unusual; 30-June: the best one, dynamic color like an opal, cute and delicate; 15-July: 30-Jul: perfect height matches; 15-Aug: done flowering, needs dead-heading; 30-Aug: needs dead-heading.
Osteospermum	Soprano	Vanilla Spoon		3.0	2.3	3.4	2.9	2.9	118	130	31	102	105	15-June: 30-June: uneven growth, some dead flowers, not very many new blooms; 15-July: not so good flowers, needs dead-heading; 30-Jul: needs dead-heading; 15-Aug: 30-Aug: great foliage, inconsistent flowering.
Osteospermum	Tradewinds	Light Purple	Goldsmith Seeds	3.0	3.0	3.5	3.2	3.2	123	71	17	54	59	15-June: 30-June: blue eye, very even, nice flowers; 15-July: nice color contrast, one dead plant; 30-Jul: needs dead-heading; 15-Aug: nicest osteospermum; 30-Aug: dead-heading helped.
Osteospermum	Tradewinds	Pink	Goldsmith Seeds	3.1	2.0	3.8	3.1	3.0	87	149	7	80	89	15-June: 30-June: very few flowers, colors don't match plant to plant, not enough flowers; 15-July: draws eye in, one white one mixed in; 30-Jul: lacking in flowers, not all pink; 15-Aug: done flowering, one white plant size uniform; 30-Aug:
Osteospermum	Tradewinds		Goldsmith Seeds	3.0	2.1	3.1	2.7	2.7	113	140	85	129	131	15-June: not flowering; 30-June: bright/intense color, few flowers; 15-July: needs dead-heading, some brown/dead flowers; 30-Jul: needs dead-heading, browning flowers; 15-Aug: didn't fill in as well as others needs dead-heading; 30-Aug: needs dead-heading.
Osteospermum	Tradewinds	White '06	Goldsmith Seeds	2.9	2.3	3.5	3.1	2.9	129	137	26	76	103	15-June: not flowering; 30-June: very uneven growth; 15-July: colors pop, great flowers; 30-Jul: lacking many flowers; 15-Aug: almost done flowering; 30-Aug: .
Penstemon	Phoenix	Red	Goldsmith Seeds	2.7	2.0	2.9	2.5	2.5	143	157	132	145	148	15-June: not flowering; 30-June: very uneven growth; 15-July: 30-July: needs dead-heading; 15-Aug: don done flowering, needs dead-heading 30-Aug: .
Penstemon	Phoenix	Violet	Goldsmith Seeds	3.1	2.0	2.9	2.6	2.6	97	153	128	140	142	15-June: not flowering; 30-June: foliage looks chlorotic; 15-July: wow- white is very white- makes other color pop, great colors; 30-July: needs dead-heading; 15-Aug: almost done, done flowering, needs dead-heading; 30-Aug: .

														15-June: leaves floppy w/ brown spots, not good in full sun; 30-June: leaves mottled brown, few flowers,
														browning leaves; 15-July: foliage yellowing, no flowers, inconsistent, not a fan; 30-Jul: spent, browning
Dantas	D.,44	Lavender	D = 11	2.3	2.0	2.5	2.2	2.2	162	150	154	162	161	flowers, not too impressive; 15-Aug: never consistent or nice, never had many flowers, not so good foliag
Pentas	Butterfly	Shades	Ball	2.3	2.0	2.5	2.2	2.2	162	152	154	162	161	30-Aug: poor, needs dead-heading. 15-June: great flower color, purple and pink flowers; 30-June: mostly purple w/few pink- odd mix ratio,
														colors better separate; 15-July: proportion of colors off, mainly purple, odd color mix; 30-Jul: no botrytis
														purple but some in pink, not a fan of mixed color; 15-Aug: uneven color mix, no more botrytis, mix not a
Petunia	Easy Wave	Beachcomber Mix	Pan Am	2.5	3.1	3.0	2.5	2.8	155	69	91	152	124	good idea, cutback too hard; 30-Aug: botrytis, odd color mix.
														15-June: yellowing leaves; 30-June: moderate petal damage, some petals are faded, wet flowers look
Petunia	Easy Wave	Coral Past	Pan Am	2.8	2.7	3.0	2.8	2.8	135	97	103	118	118	horrible, aggressive growth; 15-July: climber, huge; 30-Jul: climbing, botrytis, washed out; 15-Aug: viciously crowds out neighbors, cutback too hard, aggressive growth; 30-Aug: botrytis.
retuilla	Easy wave	Corar Reel	Fall Alli	2.0	2.1	3.0	2.0	2.0	133	91	103	110	110	viciously crowds out neighbors, cutoack too nard, aggressive growin; 50-Aug. botrytis.
														15-June: 30-June: little petal damage- botrytis 15-July: 30-Jul: carpet of blooms, climber, 15-Aug: nicer
Petunia	Jamboree	Burgundy	Goldsmith Seeds	3.7	3.9	3.6	3.7	3.7	7	6	12	14	4	than Burgundy '06, no botrytis, great color, huge, covers everything; 30-Aug: little botrytis, reliably nice.
														15-June: color is electric in sun, nice large flowers; 30-June: very aggressive, some petal damage, very
														pink; 15-July: trailing, blindingly pink, climbing over other plants, aggressive growth habit; 30-Jul: trailin
Petunia	Jamboree	Hot Pink	Goldsmith Seeds	3.3	3.6	3.1	3.4	3.3	53	20	86	40	40	botrytis, invading others space, covering all neighbors, aggressive growth; 15-Aug: really blooms, very pink; 30-Aug: botrytis.
retuina	Juniooree	HotTink	Goldsinin Seeds	3.3	3.0	3.1	3.4	3.3	33	20	00	-10	40	15-June: 30-June: carpet of flowers; 15-July: creeping; 30-Jul: creeping, botrytis; 15-Aug: climber; 30-
Petunia	Jamboree	Lavender I	Goldsmith Seeds	3.4	3.1	2.9	3.0	3.1	38	60	122	94	76	
														15-June: fun color flowers but not self-cleaning, flower pattern inconsistent; 30-June: lots of petal damage
		Red												botrytis, spotted/wet flowers look horrible, flowers look terrible; 15-July: inconsistent flowers, flowers look
Datunia	Madness	Picotee	Ball	2.8	2.5	2.9	2.7	2.7	141	112	111	137	134	dried out; 30-Jul: few blooms, botrytis, tall, hate it, not enough flowers, leggy; 15-Aug: tall, patriotic, old-fashioned look, general dislike; 30-Aug: all blooms closed.
Petunia	iviauliess	ricoiee	Dali	2.0	2.3	2.9	2.1	2.1	141	112	111	137	134	15-June: needs to fill out more, old flowers detract from appearance; 30-June: 15-July: some dead flowers
														30-July: 15-Aug: going strong, second set of flowers look good, fills the space very evenly; 30-Aug: need
Petunia	Plush	Deep Pink	S&G	3.6	3.7	3.1	3.4	3.4	13	13	89	43	29	dead-heading, flowers more sparse than earlier in season.
														15-June: bicolor- speckled & striped, not consistent, one dying plant, not really a cohesive group; 30-June
														one plant died, slight diseased look; 15-July: becoming more uniform, great flower color; 30-Jul:
Petunia	Supertunia	Raspberry Blas	n w	3.4	3.5	3.1	3.2	3.3	37	23	79	65	47	inconsistent color markings, looks great, nice growth habit; 15-Aug: looks great; 30-Aug: little botrytis, looks great.
Tetuma	Supertuma	Kaspoerry Bias	Floven winners	5.4	3.3	3.1	5.2	3.3	37	23	- 12	0.5	7/	15-June: 30-June: tall and aggressive, nice flowers, not purple; 15-July: insane climber, too tall, aggressiv
														growth; 30-Jul: three feet tall, vigorous; 15-Aug: trailing, super aggressive, no botrytis; 30-Aug: little
Petunia	Tidal Wave	Purple	Pan Am	3.5	3.7	3.4	3.5	3.5	20	15	32	25	19	botrytis, trailing, climber.
														15-June: 30-June: 15-July: open white and then turn pink, trailing; 30-Jul: tall hedge, covering all
Petunia	Whispers	A 1 . 1 . 1	1 Goldsmith Seeds	3.1	3.2	2.9	3.0	3.0	93	59	125	95	87	neighbors; 15-Aug: trailing, one plant taller than others, didn't fill in after trimming; 30-Aug: some browning edges.
retuilla	winspers	Applebiosson	Goldsmith Seeds	3.1	3.2	2.9	3.0	3.0	93	39	123	93	07	15-June: not blue but purple; 30-June: amazing color, not blue, nice deep flower color and velvety texture
														15-July: not blue; 30-Jul: still looks good, vibrant; 15-Aug: a winner, great color but bad name, not blue;
Petunia	Whispers	Blue	Goldsmith Seeds	3.5	3.8	3.1	3.5	3.5	15	9	70	24	20	30-Aug: .
														15-June: some browning leaf margins; 30-June: some petal damage, botrytis; 15-July: 30-Jul: climber, 15-
Petunia	Whispers	Burgundy '06	Goldsmith Seeds	3.3	3.4	3.3	3.3	3.3	56	38	48	46	43	Aug: no botrytis; 30-Aug: .
														15-June: yellowing leaves; 30-June: spent blooms distract, average plant; not impressed, flower very pale;
														15-July: small flowers, ugly colors, some dried flowers; 30-Jul: flowers and foliage pale; 15-Aug: lacks
Petunia	Whispers	Light Yellow	Goldsmith Seeds	2.9	2.7	2.6	2.5	2.7	127	98	147	149	138	contrast, very nice still; 30-Aug: stems brown & defoliated at base, one dead plant, much looks dead.
														15-June: 30-June: lots of petal damage- botrytis, spotted petals, wet flowers look horrible; 15-July: 30-Jul
Petunia	Whispers	Red	Goldsmith Seeds	3.3	2.6	2.7	2.8	2.8	57	108	138	123	115	botrytis, flecked petal color; 15-Aug: faded color, botrytis, spotted petals; 30-Aug:
														15-June: 30-June: spreading, small flowers, needs dead-heading; 15-July: trailing; 30-Jul: climber, some botrytis, really pink, covering all neighbors; 15-Aug: trailing; 30-Aug: leggy, crowding out by neighbors,
Petunia	Whispers	Rose Vein	Goldsmith Seeds	3.4	3.7	3.0	3.3	3.3	28	14	102	48	44	center died out.
														15-June: 30-June: spreading; 15-July: trailing, 30-Jul: not spectacular; 15-Aug: lacks contrast, flowers stil
Petunia	Whispers	White	Goldsmith Seeds	3.2	3.3	2.8	3.1	3.1	72	47	133	72	71	look great; 30-Aug: needs dead-heading, no contrast.
														15-June: washed out looking color, floppy corolla, yellowing/browning leaf margins, needs dead-heading: 30-June: horrible petal damage, dying flowers are spotted, wet flowers look horrible, flowers look ragged:
														15-July: everything about it is bad, tall, gross colors, needs dead-heading, botrytis; 30-Jul: botrytis, few
														blooms, not enough flowers, leggy, washed out; 15-Aug: botrytis, climbing, no height uniformity at all,
Petunia	Madness	Red Morn	Ball	2.9	2.2	2.9	2.5	2.6	133	139	119	146	143	washed out spots; 30-Aug: all blooms closed, botrytis, hate this variety.
														15-June: floppy corona, nice color but not self-cleaning, needs dead heading; 30-June: tall and aggressive,
		Lavender												dying flowers that are spotted, wet flowers look horrible, spent/un-opened flowers detract from appearance
Petunia	Madness	Glow	Ball	3.1	2.9	2.9	3.0	3.0	89	85	110	90	94	15-July: climber, going crazy, too big; 30-Jul: climbing, botrytis; 15-Aug: no comment, cutback too hard; 30-Aug: .
ı ctumd	wiadiicas	J10W	17(III	3.1	2.9	2.9	5.0	3.0	09	0.5	110	70	94	las raige.

Petunia	Suncatcher	Plum Vein	BFP	3.1	2.8	2.9	2.8	2.9	92	93	123	126	113	15-June: nice venation; 30-June: lots of petal damage- botrytis, poor petals, needs dead-heading, wet flowers look horrible; 15-July: wet flowers look gross; 30-Jul: botrytis, not enough flowers, leggy, washed out; 15-Aug: crowded; 30-Aug: two dead plants.
Petunia	Suncatcher			3.0	2.4	2.9	2.6	2.7	106	122	116	141	133	15-June: flower color more tomato red than coral; 30-June: petals devastated by botrytis- lots of rain recently, horrible/spotted flowers, not impressed, wet flowers look horrible, flowers look ragged; 15-July: not yet recovered from botrytis, horrible; 30-Jul: botrytis, few blooms, washed out; 15-Aug: botrytis; 30-Aug: all blooms closed, botrytis.
Phlox	Intensia	Lavender Glow	Proven Winners	3.5	4.3	3.2	3.9	3.7	19	2	65	8	6	15-June: has potential, leaf color quite yellow; 30-June: no mildew; 15-July: no mildew, great flower colo and abundance, can't see foliage well; 30-Jul: excellent plant this week; 15-Aug: wow, still looks great; 30 Aug: reliably nice, no mildew.
Phlox	Intensia	Lilac Rose	Proven Winners	3.2	3.9	3.1	3.6	3.4	84	8	81	21	26	15-June: some brown leaves, leggy; 30-June: no mildew, different colored flowers, one plant has different shades of flowers; 15-July: 30-July: 15-Aug: not the best of the phlox; 30-Aug: dead spots in middle.
Phlox	Intensia	Pink	Proven Winners	2.5	3.6	2.8	3.1	3.0	156	19	137	73	92	15-June: two flower colors; 30-June: nice pink color, a mix of plants, no mildew, some mixed flower colors/patterns, colors do not match; 15-July: 'Star Intensia' mixed in; 30-Jul: color inconsistencies; 15-Aug: least nice phlox, color inconsistencies; 30-Aug: . 15-June: some yellowing leaves; 30-June: lovely flowers, some browning leaf edges; 15-July: flowers pop
Phlox	Intensia	Star Brite	Proven Winners	3.5	4.0	3.0	3.7	3.6	17	3	93	13	12	30-July: 15-Aug: great flowers, fun petal pattern; 30-Aug: .
Phlox	Intensia	Neon Pink	Proven Winners	3.6	3.9	3.5	3.8	3.7	12	7	27	9	7	 15-June: foliage pale/yellowish; 30-June: no mold, very even, nice flowers; 15-July: hedge, 30-Jul: no mildew, great flowers; 15-Aug: still looks great; 30-Aug:. 15-June: begging for water; 30-June: orange eye nice, very uneven foliage, not as good as Rio Orange
Portulaca	Rio	Scarlet	BFP	3.0	3.0	3.1	3.2	3.1	116	72	87	56	77	(2005); 15-July: gorgeous flowers; 30-Jul: beautiful when open, very nice flowers; 15-Aug: flowers closed dense mat; 30-Aug: blooms closed.
Salvia		Red Hot Sally II	Ball	3.3	3.3	3.1	3.3	3.3	47	43	73	52	51	15-June: yellowing leaves, droopy plant; 30-June: dense flowers, wow, very red, some browning leaves, wow; 15-July: some flowers look faded by sun, few yellow leaves; 30-Jul: past their prime, flowers browning, short plants, needs dead-heading; 15-Aug: second flush, nice second flowering; 30-Aug: nice rebound since dead-heading.
Salvia		Spanish Dancer	Proven Winners	3.4	2.7	3.4	3.4	3.2	32	101	34	34	57	15-June: 30-June: tall; 15-July: tall, few leaf edges turning brown; 30-Jul: tall, bees love it, still looks great 15-Aug: leaves w/bronzing edges, done flowering, sounds great in the wind; 30-Aug: some yellow/orange leaves.
Salvia	Mystic Spire	s Blue	BFP	3.6	3.4	3.9	3.7	3.7	10	33	5	12	9	15-June: 30-June: uneven; 15-July: purple, black and green, nice, great flower; 30-Jul: bees love it, great around; 15-Aug: amazing colors- blue, black, green; 30-Aug: reliably nice, great second flowering.
Sanvitalia		Sunbini	Proven Winners	3.9	4.5	4.2	4.3	4.2	4	1	4	3	1	15-June: nice flower color, needs to fill in space, dry, love it; 30-June: nice color contrast; 15-July: great; 30-Jul: filling in nicely but slowly, amazing, still looks great; 15-Aug; a winner, love this plant, some bolting; 30-Aug; reliably nice, can't get enough of this plant, love it.
Scaevola	Bombay	Light Blue	Goldsmith Seeds	3.4	3.6	3.3	3.4	3.4	26	18	56	35	28	15-June: leggy, sparse ground cover; 30-June: one pink mixed in, lots of flowers, pink comes through; 15-July: still leggy, some color imperfections- one pink; 30-Jul: looking really nice, some pink; 15-Aug: not a nice as Proven Winners, huge, covers everything; 30-Aug: nice late color.
Scaevola	Bombay	Pink	Goldsmith Seeds	3.2	3.0	2.9	3.0	3.0	68	76	114	86	81	15-June: leggy, sparse; 30-June: flowers not prominent; 15-July: still leggy; 30-Jul: color is dull; 15-Aug: not as nice as Proven Winners; 30-Aug: nice late color, lacks contrast.
Scaevola	Whirlwind	Blue	Proven Winners	3.4	3.5	3.4	3.6	3.5	36	26	35	23	23	15-June: leggy; 30-June: much nicer & tidier than scaevola 'New Wonder', looks same as 'New Wonder', odd growth habit; 15-July: still leggy; 30-Jul: looking really nice, same color as scaevola 'New Wonder'; 1 Aug: amazing; 30-Aug: nice late color, less tidy than 'New Wonder'.
Scaevola	Whirlwind	White	Proven Winners	3.1	3.3	3.1	3.2	3.2	103	51	71	59	63	15-June: best of all scaevolas but not great; 30-June: 15-July: best scaevola here, odd growth habit; 30-July: 15-Aug: still looks great, prefer it to blue/purple varieties; 30-Aug: .
Scaevola		New Wonder	Proven Winners	3.4	3.4	3.4	3.4	3.4	35	35	40	36	34	15-June: leggy; 30-June: needs a lot of space, making a slow but steady display; 15-July: still very leggy, lanky; 30-Jul: looking really nice, same color as scaevola 'Blue'; 15-Aug: amazing, some yellowing leave filling in nicely; 30-Aug: nice petal color.
														15-June: light purple flowers, leaves browning, dry, needs more water; 30-June: half light & half dark purple, flowers turn pale when old; 15-July: inconsistent bloom color; 30-Jul: loosing flowers, color
Verbena	Ipanema	Silver	S&G	2.6	2.0	2.7	2.4	2.4	152	147	143	155	154	inconsistent; 15-Aug: done, done flowering, dead flowers detract from foliage, all flowers done; 30-Aug: . 15-June: 30-June: no petal damage, carpeting habit, cannot see separate plants; 15-July: trailing, could use
Verbena	Lanai	Bright Pink	Goldsmith Seeds	2.7	2.6	3.3	3.0	2.9	145	107	54	87	106	some more flowers; 30-Jul: only flowering at edges, some plants in group done flowering; 15-Aug: almost done, done flowering, blends in too well with grass/clover, flowers fade to white; 30-Aug: looks good.
Verbena	Lanai	Lavender Star	Goldsmith Seeds	3.4	3.4	3.2	4.6	3.7	25	30	63	2	8	15-June: has potential; 30-June: dense carpet, lots of flowers; 15-July: very nice flower; 30-July: 15-Aug: surprisingly nice still; 30-Aug: needs dead-heading.
Verbena	Lanai	Peach	Goldsmith Seeds	2.5	2.3	2.5	2.4	2.4	154	138	151	158	155	15-June: 30-June: 15-July: 30-Jul: browning from center, two dieing plants, major dieback; 15-Aug: 30-Aug: mostly dead, much looks dead.
Verbena	Lanai	Purple W/ Eye		3.0	2.9	2.7	2.8	2.9	120	82	141	116	114	15-June: nice flower color; 30-June: lots of petal damage- botrytis, good consistent flowering; 15-July: 30 Jul: needs dead-heading, some dieback; 15-Aug: continues to bloom, not looking good; 30-Aug: too leggy half dead plant(s), looks dry, nearly dead at base.

															15-June: nice floral color; 30-June: no petal damage; 15-July: 30-Jul: plants browning from center, one
															dead plant, lots of dieback; 15-Aug: still trying; 30-Aug: needs dead-heading, one dead plant, horrible
Verbena	Lanai	Scarlet	Goldsmith Seeds	2.7	2.9	2.7	2.8	2.8	146	88	142	117	123	3	foliage.
															15-June: some dead flowers; 30-June: some dead flowers, feathery leaves; 15-July: flowers dropping and
Verbena	Rapunzel	Burgundy II	Goldsmith Seeds	2.7	2.3	2.9	2.8	2.7	144	135	108	121	139)	not re-blooming; 30-Jul: done flowering, 15-Aug: done flowering; 30-Aug: needs dead-heading.
Verbena	Rupunzer	Durgundy II	Goldsilliti Seeds	2.7	2.3	2.7	2.0	2.7		133	100	121	137		15-June: great color, has potential; 30-June: lots of petal damage- botrytis; 15-July: dropping lots of
Verbena	Rapunzel	Violet '06	Goldsmith Seeds	3.0	3.2	2.5	2.9	2.9	114	54	152	109	110)	flowers - not replaced; 30-July: 15-Aug: 30-Aug: needs dead-heading.
X7 1	g 1	G 1		2.1	2.2	2.0	2.1	2.1	0.5	50	100		70		15-June: leggy, browning leaves; 30-June: many shades of color, average; 15-July: not the best verbena by
Verbena	Superbena	Coral	Proven Winners	3.1	3.2	2.8	3.1	3.1	86	52	136	77	79	,	OK; 30-Jul: tall, needs dead-heading; 15-Aug: usually floriferous, tall; 30-Aug: needs dead-heading, tall. 15-June: some browning leaves; 30-June: 15-July: almost as good as 'Scarlet', 30-July: 15-Aug: some dea
Verbena	Tukana	Deep Red	Proven Winners	3.0	3.1	2.8	3.0	3.0	111	61	135	96	95	5	foliage, butterflies like it; 30-Aug: .
· crocina	Tununu	Deep recu	Troven winners	5.0	5.1	2.0	5.0	5.0		01	100		,,,		15-June: great flower color; 30-June: a little leggy; 15-July: a few holes; 30-Jul: one dead plant, needs dea
Verbena	Tukana	Raspberry	Proven Winners	3.2	3.4	3.1	3.3	3.2	83	39	75	50	54	1	heading; 15-Aug: slowing down; 30-Aug: needs dead-heading.
															15-June: browning leaves, leggy; 30-June: great, nice flowers, lots of flowers for amount of foliage; 15-
							2.0		0.4			40	***		July: incredible, absolutely gorgeous; 30-Jul: past their prime, needs dead-heading; 15-Aug: slowing down
Verbena	Tukana	Scarlet	Proven Winners	3.1	3.3	3.0	3.3	3.2	91	44	96	49	60)	almost done flowering, only climbing verbena; 30-Aug: needs dead-heading.
															15-June: great already, love it; 30-June: great all around, love it, slow grower; 15-July: seed pods ugly, yellowing leaves; 30-Jul: almost no blooms, covered with slime mold; 15-Aug: triumphant return; 30-Aug
Verbena	Aztec	Red Velvet	BFP	3.5	3.1	3.3	3.2	3.3	21	64	49	58	49)	needs dead-heading.
, croena	TELEC	rea vervee	D11	0.0	5.1	5.5	5.2	5.5		0.	.,		.,		15-June: good foliage; 30-June: some yellowing leaves; 15-July: very branching but short, some yellowing
Vinca	Nirvana	Lavender W/Eye	Goldsmith Seeds	2.8	2.7	2.9	2.9	2.8	134	104	127	108	120)	leaves; 30-July: 15-Aug: prostrate habit, very low growing; 30-Aug: .
															15-June: 30-June: nice red eye; 15-July: needs dead-heading, looking good in full sun, 30-Jul: getting
Vinca	Nirvana	Pink Blush	Goldsmith Seeds	2.9	3.0	3.3	3.2	3.1	124	78	47	63	72	2	stronger, nice flowers; 15-Aug: nice dark eye; 30-Aug: .
															15-June: very nice; 30-June: dead flowers, not self-cleaning; 15-July: some leaf yellowing, great color but yellowing leaves; 30-Jul; getting stronger, botrytis; 15-Aug; very nice, still beautiful color; 30-Aug;
Vinca	Nirvana	Violet	Goldsmith Seeds	3.3	3.3	3.3	3.5	3.3	44	48	52	31	41		botrvtis.
vincu	Titivana	V TOTOL	Goldsilliti Seeds	5.5	5.5	3.3	3.5	3.3		-10	32	- 51			15-June: has potential, very nice plant; 30-June: 15-July: 30-July: 15-Aug: weird prostrate habit, great
Vinca	Nirvana	White	Goldsmith Seeds	3.0	3.1	3.1	3.3	3.1	119	70	76	53	73	3	flowers; 30-Aug: poor.
															15-June: 30-June: white eye, looks great; 15-July: very branching but short; 30-Jul: really pink; 15-Aug:
Vinca	Nirvana Cascade	Shell Pink	Goldsmith Seeds	3.1	3.0	3.0	3.1	3.0	102	75	97	84	86	5	prostrate habit, some yellow leaves, flowers wilting; 30-Aug: .
3.7		3371.14		2.0	2.0	4.0	2.1	2.4	126	77	,	0.2	20	,	15-June: 30-June: small plants, nice flowers, does not 'Cascade'; 15-July: 30-July: 15-Aug: prostrate habit;
Vinca	Nirvana Cascade	wnite	Goldsmith Seeds	2.8	3.0	4.8	3.1	3.4	136	//	1	82	30	,	30-Aug: poor. 15-June: nice white eye; 30-June: white eye, nice flowers; 15-July: needs dead-heading, spotted, dried
															petals, sun bleached; 30-Jul: very striking, botrytis; 15-Aug: nice eye, some brown leaves w/wrinkled
Vinca	Pacifica	Burgundy Halo	Pan Am	3.4	3.3	3.4	3.4	3.4	29	49	30	33	35	5	edges, great color; 30-Aug: .
		0,													15-June: yellowing leaf margins, flower color too pale; 30-June: one plant died leaving gap, flower color
Zinnia	Zesty	Lemon	Ball	3.1	3.2	3.2	3.2	3.2	99	58	58	55	61	l	dull; 15-July: 30-July: 15-Aug: 30-Aug: needs dead-heading.
Zinnia	Zesty	Pink	Ball	3.2	3.5	3.3	3.5	3.4	81	29	44	29	37	7	15-June: yellowing leaf margins; 30-June: pink like bubble gum; 15-July: 30-Jul: needs dead-heading, gre color, love the flower color; 15-Aug: 30-Aug: needs dead-heading, powdery mildew spots on leaves.
Zillila	Zesty	I IIIK	Dan	3.2	3.3	3.3	3.3	3.4	01	23	44	27	31		15-June: yellowing/browning leaf margins; 30-June: foliage looks strange, nice flowers but browning
															leaves; 15-July: browning leaves; 30-Jul: needs dead-heading, 15-Aug: shorter than others, great color red
Zinnia	Zesty	Scarlet	Ball	3.2	3.5	3.0	3.3	3.3	66	25	95	47	50)	30-Aug: needs dead-heading, powdery mildew.
															15-June: greenish cream flower color; 30-June: one 'Lemon' mixed in, greenish/cream flower color; 15-
7::-	7	W/L:4-	D-11	2.7	2.7	2.9	2.0	2.0	142	102	110	125	125	-	July: greenish/cream colored flowers; 30-Jul: needs dead-heading; 15-Aug: height inconsistencies; 30-Aug
Zinnia	Zesty	White	Ball	2.1	2.1	2.9	2.8	2.8	142	103	118	125	125	<u>'</u>	needs dead-heading, lots of powdery mildew. 15-June: has potential; 30-June: much better; 15-July: 30-Jul: needs dead-heading, very nice flowers; 15-
Zinnia	Zestv	Yellow	Ball	3.2	3.7	3.3	3.6	3.5	64	12	55	19	21	1	Aug: great color, not uniform in height; 30-Aug: needs dead-heading.
							2.10								
		OVERALL AVE		3.1	2.9	3.1	3.1	3.1							