

June 2018 - Labeled Insecticides for Control of Spotted Wing Drosophila in New York Tree Fruit and Grapes – Quick Guide

Compiled by Art Agnello, Greg Loeb, Peter Jentsch & Juliet Carroll. Updated regularly.

Apples, pears, plums, prunes, apricots, peaches and nectarines are currently considered at low risk of SWD infestation.
For **APPLES & PEARS** – refer to the yearly Cornell Guidelines for Commercial Tree Fruit Production, <http://ipmguidelines.org/>.

SWEET & TART CHERRY

PRODUCT	AI ¹	IRAC group ²	EPA#	RATE/A	REI ³	DTH ⁴	Max Prod/A/yr (ai)	Total applic's	Spray Interval	Probable efficacy
^@@Entrust 80WP Naturalyte (2ee) ^a	spinosad	5	62719-282	1.25-2.5 oz	4 hr	7 d	9 oz (0.45 lb)	refer to label	> 7 d	Good to Excellent [#]
^@@Entrust 2SC (2ee) ^a	spinosad	5	62719-621	4-8 fl oz	4 hr	7 d	29 fl oz (0.45 lb)	refer to label	> 7 d	Good to Excellent [#]
@@Delegate WG	spinetoram	5	62719-541	4.5-7 oz	4 hr	7 d	28 oz (0.438 lb)	4	> 7 d	Moderate [#]
*Exirel	cyazypyr	28	352-859	13.5-20.5 fl oz	12 hr	3 d	61.5 fl oz (0.4 lb)	3	> 7 d	Excellent
*@Minecto Pro	cyantilaniprole & abamectin	28, 6	100-1592	10-12 fl oz	12 hr	21 d	24 fl oz (0.21 lb, 0.044 lb)	refer to label	≥ 21 d	Excellent
*Asana XL (2ee)	esfenvalerate	3	352-515	4.8-14.5 fl oz	12 hr	14 d	72.7 fl oz (0.375 lb)	refer to label	-	Good to Excellent
*Danitol 2.4EC	fenpropathrin	3	59639-35	10.66-21.33 fl oz	24 hr	3 d	42.66 fl oz (0.8 lb)	2	> 10 d	Excellent
*Lambda-Cy EC (2ee)	lambda-cyhalothrin	3	70506-121	5.12 fl oz	24 hr	14 d	*25.6 fl oz (0.2 lb)	5 total, 4 post bloom	> 5 d	Good to Excellent
*Mustang Maxx Insecticide	zeta-cypermethrin	3A	279-3426	4 fl oz	12 hr	14 d	24 fl oz (0.15 lb)	6	> 7 d	Excellent
^Grandevo	<i>Chromobacterium subtsugae</i> strain PRAA4-1 and spent fermentation media	UN	84059-27	2-3 lb	4 hr	0 d	-	-	≤ 7 d	Fair to Poor [#]
<i>Tart Cherry Only</i>										
*Imidan 70W	phosmet	1B	10163-169	2.13 lb	72 hr	7 d	7.5 lb (5.25 lb)	3	-	Excellent

^a In organic production, Entrust must be rotated with different IRAC insecticides, consider Grandevo or products containing the AI's azadirachtin or pyrethrin.

*Refer to label for details and additional restrictions.

[#]Adding sugar (sucrose) at 2 lb/100 gal water as a feeding stimulant will increase efficacy.

[^]Approved for organic use in NY.

@After two consecutive applications must rotate to different mode of action.

@@ After three consecutive applications must rotate to different mode of action.

¹ Active Ingredient.

² Mode of Action, based on IRAC group code (UN = unknown).

³ Re-entry Interval (hr = hours).

⁴ Days to Harvest (PHI) (d = days).

June 2018 - Labeled Insecticides for Control of Spotted Wing Drosophila in New York Tree Fruit and Grapes – Quick Guide

Compiled by Art Agnello, Greg Loeb, Peter Jentsch & Juliet Carroll. Updated regularly.

PEACH & NECTARINE										
PRODUCT	AI ¹	IRAC group ²	EPA#	RATE/A	REI ³	DTH ⁴	Max Prod/A/yr (ai)	Total applic's	Spray Interval	Probable efficacy
^@@Entrust Naturalyte (2ee) ^a	spinosad	5	62719-282	1.25-2.5 oz	4 hr	1 d	9 oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
^@@Entrust SC (2ee) ^a	spinosad	5	62719-621	4-8 fl oz	4 hr	1 d	29 fl oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
@@Delegate WG	spinetoram	5	62719-541	4.5-7 oz	4 hr	1 d	28 oz (0.438 lb)	4	> 7 d	Moderate [#]
*Exirel	cyazypyr	28	352-859	13.5-20.5 fl oz	12 hr	3 d	61.5 fl oz (0.4 lb)	3	> 7 d	Excellent
*@Minecto Pro	cyantilaniliprole & abamectin	28, 6	100-1592	10-12 fl oz	12 hr	21 d	24 fl oz (0.21 lb, 0.044 lb)	refer to label	≥ 21 d	Excellent
*Asana XL (2ee)	esfenvalerate	3	352-515	4.8-14.5 fl oz	12 hr	14 d	72.7 fl oz (0.375 lb)	refer to label	-	Good to Excellent
*Danitol 2.4EC	fenpropathrin	3	59639-35	10.66-21.33 fl oz	24 hr	3 d	42.66 fl oz (0.8 lb)	2	> 10 d	Excellent
*Mustang Maxx Insecticide	zeta-cypermethrin	3A	279-3426	4 fl oz	12 hr	14 d	24 fl oz (0.15 lb)	6	> 7 d	Excellent
*Imidan 70W	phosmet	1B	10163-169	2.13-4.25 lb	96 hr	14 d	7.5 lb (5.25 lb)	3	-	Excellent
^Grandevo	<i>Chromobacterium subsugae</i> strain PRAA4-1 and spent fermentation media	UN	84059-27	2-3 lb	4 hr	0 d	-	-	≤ 7 d	Fair to Poor [#]

^a In organic production, Entrust must be rotated with different IRAC insecticides, consider Grandevo or products containing the AI's azadirachtin or pyrethrin.

*Refer to label for details and additional restrictions.

[#]Adding sugar (sucrose) at 2 lb/100 gal water as a feeding stimulant will increase efficacy.

[^]Approved for organic use in NY.

@After two consecutive applications must rotate to different mode of action.

@@ After three consecutive applications must rotate to different mode of action.

¹ Active Ingredient.

² Mode of Action, based on IRAC group code (UN = unknown).

³ Re-entry Interval (hr = hours).

⁴ Days to Harvest (PHI) (d = days).

June 2018 - Labeled Insecticides for Control of Spotted Wing Drosophila in New York Tree Fruit and Grapes – Quick Guide

Compiled by Art Agnello, Greg Loeb, Peter Jentsch & Juliet Carroll. Updated regularly.

PLUM & PRUNE										
PRODUCT	AI ¹	IRAC group ²	EPA#	RATE/A	REI ³	DTH ⁴	Max Prod/A/yr (ai)	Total applic's	Spray Interval	Probable efficacy
^@@Entrust Naturalyte (2ee) ^a	spinosad	5	62719-282	1.25-2.5 oz	4 hr	7 d	9 oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
^@@Entrust SC (2ee) ^a	spinosad	5	62719-621	4-8 fl oz	4 hr	7 d	29 fl oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
@@Delegate WG	spinetoram	5	62719-541	4.5-7 oz	4 hr	7 d	28 oz (0.438 lb)	4	> 7 d	Moderate [#]
*Exirel	cyazapyr	28	352-859	13.5-20.5 fl oz	12 hr	3 d	61.5 fl oz (0.4 lb)	3	> 7 d	Excellent
*@Minecto Pro	cyantilaniliprole & abamectin	28, 6	100-1592	10-12 fl oz	12 hr	21 d	24 fl oz (0.21 lb, 0.044 lb)	refer to label	≥ 21 d	Excellent
*Asana XL (2ee)	esfenvalerate	3	352-515	4.8-14.5 fl oz	12 hr	14 d	72.7 fl oz (0.375 lb)	refer to label	-	Good to Excellent
*Danitol 2.4EC	fenpropathrin	3	59639-35	10.66-21.33 fl oz	24 hr	3 d	42.66 fl oz (0.8 lb)	2	> 10 d	Excellent
*Mustang Maxx Insecticide	zeta-cypermethrin	3A	279-3426	4 fl oz	12 hr	14 d	24 fl oz (0.15 lb)	6	> 7 d	Excellent
*Imidan 70W	phosmet	1B	10163-169	2.13-4.25 lb	7 days	14 d	7.5 lb (5.25 lb)	3	-	Excellent
^Grandevo	<i>Chromobacterium subsugae</i> strain PRAA4-1 and spent fermentation media	UN	84059-27	2-3 lb	4 hr	0 d	-	-	≤ 7 d	Fair to Poor [#]

^a In organic production, Entrust must be rotated with different IRAC insecticides, consider Grandevo or products containing the AI's azadirachtin or pyrethrin.

*Refer to label for details and additional restrictions.

[#]Adding sugar (sucrose) at 2 lb/100 gal water as a feeding stimulant will increase efficacy.

[^]Approved for organic use in NY.

@After two consecutive applications must rotate to different mode of action.

@@ After three consecutive applications must rotate to different mode of action.

¹ Active Ingredient.

² Mode of Action, based on IRAC group code (UN = unknown).

³ Re-entry Interval (hr = hours).

⁴ Days to Harvest (PHI) (d = days).

June 2018 - Labeled Insecticides for Control of Spotted Wing Drosophila in New York Tree Fruit and Grapes – Quick Guide

Compiled by Art Agnello, Greg Loeb, Peter Jentsch & Juliet Carroll. Updated regularly.

APRICOT

PRODUCT	AI ¹	IRAC group ²	EPA#	RATE/A	REI ³	DTH ⁴	Max Prod/A/yr (ai)	Total applic's	Spray Interval	Probable efficacy
^@@Entrust Naturalyte (2ee) ^a	spinosad	5	62719-282	1.25-2.5 oz	4 hr	14 d	9 oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
^@@Entrust SC (2ee) ^a	spinosad	5	62719-621	4-8 fl oz	4 hr	14 d	29 fl oz (0.45 lb)	refer to label	> 7 d	Moderate [#]
@@Delegate WG	spinetoram	5	62719-541	4.5-7 oz	4 hr	14 d	28 oz (0.438 lb)	4	> 7 d	Moderate [#]
*Exirel	cyazapyr	28	352-859	13.5-20.5 fl oz	12 hr	3 d	61.5 fl oz (0.4 lb)	3	> 7 d	Excellent
*@Minecto Pro	cyantilaniliprole & abamectin	28, 6	100-1592	10-12 fl oz	12 hr	21 d	24 fl oz (0.21 lb, 0.044 lb)	refer to label	≥ 21 d	Excellent
*Asana XL (2ee)	esfenvalerate	3	352-515	4.8-14.5 fl oz	12 hr	14 d	72.7 fl oz (0.375 lb)	refer to label	-	Good to Excellent
*Danitol 2.4EC	fenpropathrin	3	59639-35	10.66-21.33 fl oz	24 hr	3 d	42.66 fl oz (0.8 lb)	2	> 10 d	Excellent
*Mustang Maxx Insecticide	zeta-cypermethrin	3A	279-3426	4 fl oz	12 hr	14 d	24 fl oz (0.15 lb)	6	> 7 d	Excellent
*Imidan 70W	phosmet	1B	10163-169	2.13-4.25 lb	7 days	14 d	7.5 lb (5.25 lb)	3	-	Excellent
^Grandevo	<i>Chromobacterium subsugae</i> strain PRAA4-1 and spent fermentation media	UN	84059-27	2-3 lb	4 hr	0 d	-	-	≤ 7 d	Fair to Poor [#]

^a In organic production, Entrust must be rotated with different IRAC insecticides, consider Grandevo or products containing the AI's azadirachtin or pyrethrin.

*Refer to label for details and additional restrictions.

[#]Adding sugar (sucrose) at 2 lb/100 gal water as a feeding stimulant will increase efficacy.

[^]Approved for organic use in NY.

@After two consecutive applications must rotate to different mode of action.

@@ After three consecutive applications must rotate to different mode of action.

¹ Active Ingredient.

² Mode of Action, based on IRAC group code (UN = unknown).

³ Re-entry Interval (hr = hours).

⁴ Days to Harvest (PHI) (d = days).

June 2018 - Labeled Insecticides for Control of Spotted Wing Drosophila in New York Tree Fruit and Grapes – Quick Guide

Compiled by Art Agnello, Greg Loeb, Peter Jentsch & Juliet Carroll. Updated regularly.

GRAPES										
PRODUCT	AI ¹	IRAC group ²	EPA#	RATE/A	REI ³	DTH ⁴	Max Prod/A/yr (ai)	Total applic's	Spray Interval	Probable efficacy
^@Entrust Naturalyte (2ee) ^a	spinosad	5	62719-282	1.25-2.5 oz	4 hr	7 d	7.2 oz (0.36 lb)	5	> 5 d	Good to Excellent [#]
^@Entrust SC (2ee) ^a	spinosad	5	62719-621	4-8 fl oz	4 hr	7 d	23.2 fl oz (0.36 lb)	5	> 5 d	Good to Excellent [#]
@Delegate WG	spinetoram	5	62719-541	3-5 oz	4 hr	7 d	19.5 oz (0.305 lb)	5	> 4 d	Excellent [#]
Assail 30SG (2ee)	acetamiprid	4A	8033-36-70506	4.5-5.3 oz	12 hr	3 d	10.6 oz (0.2 lb)	2	> 14 d	Good [#]
*Danitol 2.4EC	fenpropathrin	3A	59639-35	10.66-21.33 fl oz	24 hr	21 d	42.66 fl oz (0.8 lb)	2	> 7 d	Excellent
*Mustang Maxx Insecticide	zeta-cypermethrin	3A	279-3426	4 fl oz	12 hr	1 d	24 fl oz (0.15 lb)	6	> 7 d	Excellent
*@Minecto Pro	cyantilaniprole & abamectin	28, 6	100-1592	10-12 fl oz	12 hr	21 d	24 fl oz (0.21 lb, 0.044 lb)	refer to label	≥ 21 d	Excellent
Malathion 5EC (2ee)	malathion	1B	19713-217	3 pts	24 hr	3 d	-	2	> 14 d	Good
*Malathion 5EC (2ee)	malathion	1B	66330-220	3 pts	12 hr	3 d	-	-	-	Good
Malathion 57% (2ee)	malathion	1B	67760-40-53883	3 pts	24 hr	3 d	-	2	> 14 d	Good
Malathion 8 Aquamul	malathion	1B	34704-474	1.88 pts	24 hr	3 d	3.76 pts (3.76 lb)	2	> 14 d	Good
^Grandevo	<i>Chromobacterium subsugae</i> strain PRAA4-1 and spent fermentation media	UN	84059-27	2-3 lb	4 hr	0 d	-	-	≤ 7 d	Fair to Poor [#]

^a In organic production, Entrust must be rotated with different IRAC insecticides, consider Grandevo or products containing the AI's azadirachtin or pyrethrin.

*Refer to label for details and additional restrictions.

[#]Adding sugar (sucrose) at 2 lb/100 gal water as a feeding stimulant will increase efficacy.

[^]Approved for organic use in NY.

[@]After two consecutive applications must rotate to different mode of action.

^{@@} After three consecutive applications must rotate to different mode of action.

¹ Active Ingredient.

² Mode of Action, based on IRAC group code (UN = unknown).

³ Re-entry Interval (hr = hours).

⁴ Days to Harvest (PHI) (d = days).