
Cornell Viburnum Leaf Beetle Citizen Science Leaf drawings

Drawings by Marcia Eames-Sheavly.

Visit Cornell's Viburnum Leaf Beetle Citizen Science Project: www.hort.cornell.edu/VLB

Sargent Viburnum Viburnum sargentii

- Deciduous
- 2 to 5 inches long and wide
- 3-lobed, with middle lobe often longer
- Sparse hairs on underside , but no hairs on veins



Mapleleaf Viburnum Viburnum acerifolium


Leaves:

- Deciduous
- 2 to 4 inches long and wide
- Three-lobed although lobes sometimes small
- Slightly pubescent above, more so below
- Stipules (fang-like appendages) on base of petiole, but no glands (bumps) on petiole near leaf base



Cranberry Bush Viburnum opulus


- Deciduous
- 2 to 4 inches long and wide
- 3 lobes
- Pubescent (hairy) veins on underside



Hobblebush Viburnum lantanoides

Leaves:

- Deciduous
- Large, 2 to 8 inches long and wide
- Rounded to fat egg-shaped
- Teeth closely spaced
- Stellate pubescence (star-like hairs) on underside along veins



Black Haw *Viburnum prunifolium*

- Deciduous
- 1.5 to 3.5 inches long, 1 to 2 inches wide
- Broad elliptical or egg-shaped
- Teeth closely spaced
- Glabrous (smooth) underneath




Nannyberry Viburnum lentago

- Deciduous
- 2 to 4 inches long, 1 to 2 inches wide
- Elliptical to egg-shaped
- Teeth closely spaced
- Leaf surface smooth top and bottom



Korean Spice Viburnum Viburnum carlesii

- Deciduous
- 1 to 4 inches long, .75 to 2.5 inches wide
- Broad egg- to football-shaped
- Teeth regular
- Stellate (starshaped) pubescence (hairs) underneath, especially along veins
- Veins extend beyond leaf margin






Carlcephalum (Fragrant) Viburnum Viburnum x carlcephalum


Leaves:

- Deciduous
- 1 to 4 inches long, .75 to 2.5 inches wide
- Wide egg- to football-shaped
- Teeth less regular than V. carlessii
- Stellate (starshaped) pubescence below, dense and rusty along veins
- Some veins extend beyond leaf margin



Chinese Snowball Viburnum Viburnum macrocephalum


- Deciduous or semi-evergreen
- 2 to 4 inches long, 1.5 to 2.5 inches wide
- Rounded or egg-shaped to football-shaped
- Stellate pubescence (star-like hairs) on underside
- Petiole (leaf stem) short



Burkwood Viburnum Viburnum x burkwoodii

Leaves:

- Semi-evergreen
- 1.5 to 4 inches long, .75 to 1.75 inches wide
- Egg- to football-shaped or long and narrow shaped
- Margin entire (smooth) but usually with small irregular teeth
- Scurfy (scratchy) pubescent on top side



Judd Viburnum *Viburnum x juddii*


- Deciduous
- 1.75 to 2.5 inches long, 1 to 1.75 inches wide
- Football-shaped
- Teeth irregular and small but widely spaced
- Dense stellate pubescence (star-like hairs) on underside
- Petioles (leaf stem) short (less than .25 inch)



Wayfaring Tree Viburnum lantana

Leaves:

- Deciduous
- 2 to 5 inches long, 1.5 to 4 inches wide
- Egg- to football-shaped
- Very uniform teeth
- Strongly netlike vein patterns
- Dense pubescence (hair) on underside
- Petioles (leaf stems) .75 to 1 inch long.



Doublefile Viburnum Viburnum plicatum var. tomentosum


- Deciduous
- 2 to 5 inches long, 1 to 2.5 inches wide
- Broad egg-shaped
- Teeth widely spaced
- Stellate pubescence (star-like hairs) on underside mostly along veins
- Petiole .5 to .6 inches long



Witherod Viburnum Viburnum cassinoides


Leaves:

- Deciduous
- 1.5 to 3.5 inches long, .75 to 2.25 inches wide
- Football- or egg- to oblong-shaped
- Nearly glabrous (smooth), somewhat scurfy (small bran-like scales) beneath
- Teeth rounded and widely spaced.



Wright Viburnum Viburnum wrightii


- Deciduous
- 3 to 5 inches long, 1.25 to 2.5 inches wide
- Rounded with teeth widely spaced
- Long hairs and brown spots on underside



Arrowwood Viburnum Viburnum dentatum


Leaves:

- Deciduous
- 2 to 4.5 inches long, 1 to 4 inches wide
- Rounded or wide egg-shaped
- Coarsely dentate (toothed) margin
 Glabrous (smooth) above and below



Linden Viburnum Viburnum dilatatum


- Deciduous
- 2 to 5 inches long, 1 to 3.5 inches wide
- Rounded or egg-shaped
- 2 to 4 circular glands at base of leaf, best seen from the underside



Fragrant Viburnum Viburnum farreri

Leaves:

- Deciduous
- 1.5 to 4 inches long, 1 to 2.75 inches wide
- Football-shaped
- Teeth widely spaced
- Underside of leaf glabrous (smooth) with sparse hairs where veins meet
- Leaf base cuneate (long taper)




Service Viburnum Viburnum utile 'Conoy'

- Evergreen
- 1.5 to 2 inches long, .25 to 1.25 inches wide
- Margin (edge) entire (smooth)
- *Underside pale blue-green* with dense stellate pubescence (star-like hairs), glabrous (smooth) on top



Tea Viburnum Viburnum setigerum


- Deciduous
- 3 to 6 inches long, 1.25 to 2.5 inches wide
 Long egg-shaped
 Teeth widely spaced
 No hair on underside except along veins



Siebold Viburnum Viburnum sieboldii


- Deciduous

- Decidious
 2 to 6 inches long, 1.5 to 3 inches wide
 Football-shaped to long and narrow
 Teeth widely spaced and mostly towards tip
 No hair on underside except along veins
 Brown spots on underside but not always apparent
- Burnt rubber smell when crushed
- Leaf scars encircle stems



Lantanaphyllum Viburnum Viburnum rhytidophylloides

- Semi-evergreen (Most winters in the Northeast, most leaves fall off or turn brown and hang on the twigs. Depends on severity of weather and exposure to sun and wind.)
- Long and narrow
- 3 to 8 inches long, 1 to 1.5 inches wide
- Margins (edges) entire (smooth)
- Not as wrinkled as V. rhytidophyllum



Leatherleaf Viburnum Viburnum rhytidophyllum

- Evergreen (but often turn brown)
- Long and narrow
- 3 to 7 inches long, 1.5 inches wideMargins (edges) entire (smooth)
- Deeply wrinkled (more than Viburnum rhytidophylloides)

